NORTH GREY RAILWAY

MEAFORD LINE

THE RAILWAY.—We heard the first toot of the advancing locomotive on Monday. It is now within a short distance of Workman's Creek, and if the weather continues favorable will probably reach the station by Wednesday next, and the read be opened for traffic on the 15th November. The bridges are all completed and the roadbed ready for the ties with the exception of a gap or two to fill up with arth. The foundation of the grain station has been laid and work generally constinues to advance rapidly.

COLLINGWOOD.

The large sawmill is now filling an order for lumber to be shipped to South America..... A conference between the railway authorities and the town council has been held, and an understanding arrived at on the difficuities that threatened a serious quarrel. The track of the North Grey is to remain on the street a year longer. Notice is given of application for a charter for a company to build a railway from Guelph to Orangeville, thence to Collingwood. Question Bulletin editor lost his reckoningleaves November out of his culendar and imagines that December begins to-morrow. So we infer from his offer of the Bulletin "till the end of next year-13 months," &c., &c.

Merbid

October 31 1872

Meaford Station.—The contract for the erection of the Meaford station has been let to Mr. F. Law, of this place. The building will include under one roof the passenger and freight stations, and will be about 300 feet in length. Mr. Law has put up the Thornbury station greatly to the satisfaction of the Company, and no doubt he will give equal satisfaction in this contract.

July 11 1872

Northern Ballway of Canada:

Winter time table to take effect on and after Monday, November 25, 1872.

monday, 1	CAOTTE	JOI 200 2	
LEA	VE TOP	CONTO.	en g ^{n o}
1	MAIL	ACCOM.	MAIL.
i	A. M.	A. M.	P. M.
City Hall, Brock street,	7.15	11.00	8.45 4.00
	ARRIV	7E.	
, L	P. M.	P. M.	P. M.
Orillia,	12.80	5.15 7.00	9.05 9.15
,	LEAV	Æ.	
E	XPRESS.	ACCOM.	MAIL
•	A. M.	A. M.	P. M.
Meaford, Collingwood, . Orillia,	. 5.05	9.00 10.40	3.00 4.20 4.20
ARR	IVE AT	TORON	.03
Brock street,	A. M. 10.15 10.30	P. M. 4.55 5.10	9.15 9.30
the Mail Tra	in leaving ag through the duced as for	extra faies	and return- on this car
Toronto or	Mentord to us over 65 r es under 65	niles,	50 cts. 25 cts. 50 cts. 20 cts.
	FRED.	CHMBEL	RLAND,

The Menford Monitor.

Thursday, Dec. 5, 1872.

Northern Bailway of Canada, TIME TABLE

COMMENCING MONDAY, SEPT. 2d, 1872.

COMMENCING MONDA	L, DIE 10 a	, 20, 20		
MOVING N	OBTH.	· 4 · . ·	1	
•	Local.	Mail.		
Toronto, City Hall, Brock Street, Collingwood, (arrive) (depart) Craigleith, Thornbury, (arrive)	7.00 s. m. 7.18 " 7:40 "	7.00 a. m. 7.15 44 12.20 p. m. 12.85 44 12.58 46 1.15 46	-	
MOVING	BOUTH.	4	١	
Thombury, (depart) Craigleith, Collingwood (arrive) (depart) Teronto, Brock Street, (city Hall,	8.00 a. m. 8.23 " 8.40 "	8.00 min. 8.22 " 8.40 " 4.00 " 9.15 " 9.80 "		

The Menford Monitor.

THORNSUR'

The railway was formally opened to this place for freight and passenger traffic on Monday last. The local train to Collingwood leaves here at 8 a.m., the through train for Toronto at 3 p. m. The through train, with the mails, arrives at 1.15 p. m., the local train at 7.40 a. m.

September 5 1872

Measord.

The completion of the Northern Railway to Collingwood, January 1, 1855, was a big boost to the growth of Meaford. Further stimulus came in 1856 when St. Vincent ratepayers, assisted by the Government of Upper Canada, built a wharf at Meaford to accommodate the largest vessels then plying the upper lakes. A large grain storehouse was erected. Wheat had reached an exorbitant price owing to the Crimean War. Another aid to progress was the construction of the county road system in 1860, the Northern Gravel Road, running through from Owen Sound to Collingwood, proving beneficial to Meaford.

In the 1860's the community was growing fast. It was an independent area and had all the various tradesmen, merchants, professional men and others necessary to make a thriving environment for the population of 1000 who called it home in 1865. In that year the township council built the first town hall, which burned in 1907 and was replaced by the present building. 1868 saw the establishment of the first newspaper, the Meaford Monitor, which flourished until 1920. In 1882 the Meaford Mirror came into existence and had a life of some 55 years, and in 1906 the Meaford Express began its service to the community. It is still carrying on.

New History of Grey County FC3055 G74 The first agitation to have Meaford incorporated as a village began in 1869, instituted by Hugh Watt, editor of the Monitor. It proved a hard struggle. Not until the session of Parliament in January, 1874, was a bill passed to incorporate Meaford, not as a village, but as a town. The Act came into effect on July 1, 1874, and the first Council was elected in January 1875. They were Mayor, W.D. Pollard; Reeve, James Stewart; Councillors, Thomas Harris, John Hill, J.J. Johnston, Frank Law, David Layton, Lorenzo Londry, John D. McGee, Elliot Thompson, Charles Watt.

The first locomotive had arrived on November 14, 1872, the last rail being laid by moonlight that evening. Already located in the early eighties were three planing mills, 3 carriage factories, 2 tanneries, a sawmill, a shingle mill, a woollen mill, 2 foundries, 1 machine shop, 4 cabinet shops, 2 flour mills, 2 printing offices, 12 general stores, 4 grocery stores, 2 jewellery stores, 2 stationery and fancy goods stores, 7 millinery and dressmaking shops, 1 fur store, 3 dry goods stores, 2 bakeries, 2 brickyards, 5 boot and shoe shops, 2 harness shops, 1 pump shop, 2 undertakers, 2 hardware stores, 2 blacksmith shops, 5 insurance and money brokers, 2 butcher shops, 3 lawyers, 4 doctors and 1 dentist.

The first church was built in 1856 for the Canadian Presbyterians. It was a substantial brick octagon-shaped structure. Shortly after, the Church of Christ built a meeting house and by 1865 five more churches were serving the community: Church of England, Wesleyan Methodist, Episcopal Methodist, New Connexion Methodist and Congregational. In 1869 the Roman Catholics built a church. Today, none of these buildings are in existence, but there are congregations of the Anglican, United, two Baptist, Church of the Nazarene, Church of Christ, Presbyterian, Pentecostal and Roman Catholic

None of the ten hotels which were in business in the late seventies remain. They were Paul's Hotel, the Blue Water Hotel, successor to the Queen's Hotel or Victoria House, The Commercial, McDonald's, Globe, British American, Royal, Raper's, Georgian Inn, and The Farmer's Home. Motels now taking care of the travelling public include the Bay-Vue Motel, Hilltop Motel, and the Weysyde Motel.

Throughout the years industries have been many and varied. Going on from those which have been noted earlier, there were J.J. Johnston's first planing mill in the early sixties; Barber and Harris, which began manufacturing the Canadian turbine water wheel in 1867 (this plant is still in operation); John D. McGee and Wm. McDonald wagon and carriage shop; Elliot Thompson builder and sawmill proprietor; Frank Law founder of the Meaford Building and Manufacturing Co., for many years the leading industry in the town; Charles Watt industrialist who established a fanning mill factory as early as 1858.

". In The Btation ".

by Dickens sin one of his works paints a pormait of antitiold genbleman] who carried a very valuable gold watch and seals in this trousers fob; and at which every pickpocket in London, had made antinancessful grab. od w oboit no Now bur station is a somewhat similar things everybody feels at liberty to do something to enlighten a very dark job. The Council are blamed for doing nothing, and on the other hand for what they do. Now, Mr. Editor it seems to me that the less the Council do at present the better. The Township by a unanimous vote instructed them to take steps to secure the fulfilment of the agreement by the Railway Company, ; to obtain the opinion of Council, &c., &c.—If I am rightly informed, the Attorney General has pronounced the agreement good and binding, but said that the Council could take no steps to enforce the carrying out of the provisions until the end of the two years, except to protest against the placing of the station on the hill, which protest I presume they have forwarded already, so that the Railway Company may not plead that our quiescence meant acquiescence.

In the meantime if the Railway Company cannot or will not bring the railroad below the hill, they will doubtless put the station where it would be in the next best place for the Town and Township, trusting to the favourable impression good buildings and easy approach would make on the people, and to the softening effects of time or the chapter of accidents in the easy settlement of the question at last.

Yours,

P. FULLER.

April 25

MORTH GREY RAI. WAY COMPANY.

A general meeting of the subscribers to the capital stock of the above company, for the election of directors, &c , was held yesterday at the offices of the Northern Rallway. The chair was taken by Mr. [C. R. Sing, reeve of St. Vincent, who was supported by Mr. F. W. Cumberland, Managing Director of the Northern Railway ; Messre. N. Barnhart, Hon. J. Beverley Robinson. J. D. Razar. D'Arcy Boulton, H. S. Hime, C. Moberly, Patterson, reeve of Euphrasia; McCallum, reeve of Collingwood; Rorks (Clarkesburg,) Tyson & Stewart (St. Vincent,) F. J. Joseph, Secretary & Scoretery, &c.

The minutes calling the meeting having been read, the following report was submitted and adopted:—

REPORT OF THE PROVISIONAL DIRECTORS OF THE NORTH GREY RAILWAY.

TORONTO, 11th March, 1871.

To the Shareholders of the North Grey Rail way,-GENTLEMEN. -

1. The Provisional Directors have the bonour to present their report of the trans-actions of the Company to this date.

- 2. The charter of the Company having become law by royal assent on the 15th February, the respective Councils of the townships of St. Vincent, Euphrasia and Collingwood lost no time in submitting by laws to their ratepayers, granting bonuses in aid of the construction of the railway, and which by-laws were respectively carried as follows: 1. St. Vincent, 20th March, 1871,
- 2. Collingwood, 21st March, 1871, 3 Euphrasia, 22nd March, 1871, for 32,500

Being an aggregate grant of...\$120,000 3. The necessary amount of share capital baring been subscribed, and the deposit thereof paid up, in compliance with the terms of the charter, your directors have, by due notice, called a special general meeting for the permanent organization of the Company.

pany.

4. The survey of locations is now in active progress, and with all necessary maps, drawings and specifications will, it is hoped, be completed in time to admit of the letting of the contracts and the actual commencement of the work early in the ensuing month, and it may accordingly be expected that the line will be in running order before the close of the present season of navigation.

5. The Bill to enable the Northern Rail way Company to lease and work the line for way company to lease and work the fluct of a term of years having passed the Dominion Legislature, the Provisional Directors recommend that no time be lost in perfecting that arrangement in order that, at the earliest moment available under the law, the same be submitted to the sanction of the respective Companies in special general meeting.

All of which is respectfully submitted.

(Signed,) C. R. SING, Chairman of Provisional Directors

(Signed,)
C. R. SING,
Chairman of Provisional Directors.
Mr. CUMBERLAND, in moving the appointment of scrutineers for election of Directors, stated that no time had been lost in quahing forward the interests of the road, and not a dollar had been spent except upon the legitimate objects of the Company. (Hear.) With regard to the location, he hoped to see a magnanimity of feeling displayed with a view to secure the promotion of the best interests of the road. The motto of the Directors, he hoped, would be to locate the road at once and then go_a-head. (Cheera.) He fully concurred in the statements in the report that the road could be built quickly and would be in running order before the close of navigation. (Cheera)
Messrs. F. W. Coate and Joseph Rorke were appointed scrutineers, and the poll having been opened the regular time, the following gentlemen were declared elected as Directors:—Messrs. Stewart, Sing, Andrews, Rorke, Robinson, Heward, Coate, Hime and Barchart.

The proceedings terminated with the ous-towary vote of thanks to the chair.

April 12.

NORTH GREY RAILWAY COM-PANY.

A special general meeting of the share-holders of the above company was held yesterday at the offices of the Northern Railway Company, Brock Street. Mr. N. Barnhart, president, took the chair; and there were also present Mr. C. R. Sing, vice-president, Mr. H. L. Hime, Mr. Andrews, Mr. Robinson, Mr. F. W. Cumberland, Mr. Rorke, Mr. Stewart, Mr. J. D. Edgar, Mr. F. W. Coate, Mr. F. L. Joseph (secretary,) etc. The object of the meeting was to give the sanction of the shareholders to a lease of the North Grey Railway to the Northern Railway Company, and for other purposes.

The Secretary read the notice convening the meeting, and the draft of the lease was then submitted. It provided that the working of the road be undertaken by the Northern Railway; a percentage amounting to thirty per cent for the first five years, to thirty-five for the next succeeding five years, and to forty per cent for the remainder of the lease, being paid to the North Grey Company. A provision is inserted that cordwood shall be carried over the line during the months of November, December, January and February at lumber rates. Any differences that may arise are to be settled by arbitration.

In reply to observations by Mr. Sing,

Mr. CUMBERLAND explained that the percentage to be received by the North Grey Railway Company was five per cent less than that received by the Muskoka Junction Railway. The terms originally proposed were the sam;, but upon the action of the Northern Railway London Eoard, requiring that the culverts and bridges of the Muskoka line should be built of stone or iron, instead of wood as originally proposed, the local directors of the Muskoka Junction line were granted an advance of five per cent. to meet the increased outlay consequent on the decision of the London board. In the case of the North Grey Railway, bridges and culverts were to be made of wood. With regard to the carrying of cordwood, the Northern Company of course would not enter into any arrangement to carry cordwood in preference to all other freight, but it would take its place with other classes of freights. As a common carrier, the railway was bound to carry the freight in the order in which it was received. The question was simply one of rates. Company had never refused to carry cord-

After some remarks by Mr. Sina,

The CHAIRMAN moved, seconded by Mr. ANDREWS, a resolution giving the directors power to make the lease, which was carried; as was also a resolution, moved by Mr. Sing, seconded by Mr. Rorke, "that the Directors be authorized to issue first preferential bonds guaranteed by the Northern Railway Company, to the extent of £1,800 sterling per mile of the railway actually under construction at the time of such issue."

A vote of thanks to the Chairman terminated the proceedings.

June 8 187/

THE RAILWAY.—The ballasting of the road below Craigleith is being carried on with all despatch, and work will at once be resumed at this end of the line. The contractors advertise for 20 teams and 100 men, and will push forward the work without cessation until completed. The sooner the better.

MAY 2 1872

The Iron Horse Arrived.

We are able to vouch this week for the actual arrival of the Iron Horse, for did we not ourself ride up to the station on the veritable animal himself? We did, and that about seven o'clock on the evening of the 14th November. Mark the date as a red-letter day in the annals of Meaford, when first our fair village re-echoed the shrill whistle of the pioneer locomotive as it entered within its limits. The engine was numbered "23," and was driven by Mr. Spragge, who has the honor of bringing the first train of car, loaded with passengers-workmen and villagers-up to the Meaford station. The men worked with determination and vim all day Thursday, and succeeded in laying down the "last rail" by moonlight in the evening, amid the eager excitement of a crowd of spectators, watching for the final stroke on the last spike. *

November 21 1872

FIRST CARS.—The first of the North Grey cars have reached Meaford! They were brought to the wharf on a scow on Friday'last. They were half a dozen dumping cars to be used in making the approach road to the station, and in general ballasting. The scow had also a quantity of iron' and ties with which a temporary track is to be laid down from the gravel road cutting westward. The waggon road bridge over the gully is completed and is a very substantial structure. Carnahan's and Workman's creek bridges October 10 1872 are well advanced, Measord

THE RAILWAY.—Mr. baw is making rapid progress with the railway buildings on the hill. The frame of the engine house is also up and one of the cottages is far advanced towards completion. We do not so perceptibly notice the advance in the road making, but we may still hope to hear the whistle of the engine by the beginning of winter. The Montreal telegraph company has strung a wire along the track.

September 26 1872 FIRST FREIGHT... The first real freight carried over the North Grey Ruilway was taken up as fur as Graigleith on Friday last—Two car louds of lumber and shingles for Mr. I. Law of this village. The lumber and shingles were unlouded at Craigleith and teamed to Thorn. In the erection of the Thornbury station.— Menford Monitor.

MAY 23 18 72

THE RAILWAY.—Track laying, we believe, has been recommenced below Thornbury, and it is expected that the road may be completed to our sister village in the course of the next month. At this end of the line work is being pushed forward, but it appears to us not with so much energy, or with such a force of hands, as to secure the opening of the road much before winter sets in; but we most sincerely hope our fears may prove groundless, and that we may hear the whistle of the engine by September at latest, MAY 30 1872 The Railway.—The track is now laid and ballasted to the town line—say three miles from the village. Work on the sand hill cutting is being pushed with vigor, the tempora y track having been laid from there to the approach road. The station is fully roofed in and the plasterers commenced work yesterd.—y.

October 17 1872 FIRST FREIGHT... The first real freight carried over the North Grey Ruilway was taken up as far as Graigleith on Friday last—Two car loads of lumber and shingles for Mr. If. Law of this village. The lumber and shingles were unloaded at Craigleith and teamed to Thorobury to be used in the erection of the Thorobury station.—Meaford Monitor.

MAY 23 1872

COLLINGWOOD.

On Friday last about 4 p. m., as the construction train on the North Grey Railway was backing down to the south at Indian River, two miles south of Thornbury, a workman named John Clark, a resident of this place, fell from the flat cars through the bridge into the river, a distance of about 20 feet, breaking a leg and shattering the knee. Dr. Moberly, who is attending the unfortunate man, has grave doubts of his recovery.

November 7 1872

Meaford Monitar

SWEN SOUND?

necessity of dredging the river, but has decided to lay the matter over for further consideration. The Narrow Gauge Company is trying a sharp game to get possession of the marsh ground at the river mouth, and the council protests. Trouble looming Are all railway corporations up! "tarred with the same stick?" The Times publishes an advertisement signed "David Comely and Charlotte E. Comely," declaring a dissolution of their marriage contract by "mutual consent." This is even cheaper than the Chicago method of divorce, and proves that the disaffected couples of that city might learn a thing or two even from an Owen Sound pair.

> December 5 1872

THE RAILWAY. - The construction train didn't reach the station yesterday, as was expected; it may by Tuesday or Wednesday next. There is a nasty cutting to finish and a considerable gap to fill up yet at Workman's creek. The tracklayers, however, had last night reached Mr. Londry's and today will cross the gravel; and the permanent track having been laid from the station to the 4th line, a junction will no doubt be effected this week. soon, therefore, as the filling at the Workman bridge is completed, the engine will be able to make its way to the station, and we shall hail it with lively satisfaction. The approach road gets on slowly, but the facilities for dumping are now being improved. Mr. Law will have the passenger station ready by the 15th.

November 7

1872

Mea-Brd

THE RAILWAY OPENED.

Regular traffic commenced on the railway on Monday last .-Shortly after 8 o'clock in the morning the first train-a mixed one-came in from Collingwood with freight and passengers. left again for Toronto punctually at the time fixed-9 o'clock. As n somewhat singular circumstance, it may be mentioned that the passenger car was the first ever run in Canada west-19 years ago, on the Northern Railway; and that the first conductor on the Northern line-Mr. Harvey, now Traffic Superintendent, was also A considerable on the train. number of the villagers climbed the hill to do honor to the first outgoing train, and yet more made their way up to greet the first through train from Toronto at 1.45 p. m. All went off quietly and well, but it is a matter of regret that some befitting celebration of the opening was not got up either by the company or the villagers. For our own credit we should have made the day a festive one in some sort.

For the information of the public we may state that the outgoing trains leave as follows: Accomodation at 9 a.m.; Express and Man at 3 p. m.; and that the arrively are thus timed; Express and Man train 1.45 p. m.; Accommodation at 7, p. m. The time table may be seen on the opposite page.

Meaford November 28 1872

CAMP BORDEN IN 1944

BY WILLIAM HOOD

Reading Jack Knowles's article on Camp Borden passenger trains in the April 1991 issue of the Newsletter prompted me to jot down a few of my recollections of the facilities at Borden and the events leading up to them at the time I was stationed there.

I joined the army in May of 1944, and after a brief stay of a week at the Canadian National Exhibition grounds for indoctrination into the armed forces way of life (i.e., sleeping on steel double bunk beds in Horse Palace stalls), we were shipped off by the Canadian Pacific Railway to Peterborough for basic training.

Peterborough was a fairly interesting city in 1944, with quite a number of trains both passing through and originating in the city on both the Canadian Pacific and Canadian National Railways, and I spent as much spare time as I had stopping by the stations to observe the trains. There were always two wooden coaches parked on a siding just east of the CPR station. Sometimes they would disappear for a day and then reappear to take up their appointed position on the siding. I eventually found out that they were used to move troops out from Peterborough after they had completed their basic training.

When we had spent two months completing our basic training we were told one night that we would be moving out the next morning for advanced training at Camp Borden. At 5:00 that morning, several platoons of soldiers were assembled on the parade square in full marching order with back packs and kit bags, and we proceeded up George Street to the CPR station. There I found my two wooden friends had been coupled to the rear of a train standing in the station. The train turned out to be No. 601, a daily except Sunday local from Peterborough to Toronto, scheduled to leave at 7:10 a.m. and to arrive in Toronto at 9:15 a.m. We were all loaded onto the two cars and we settled down for the leisurely trip to Toronto.


On arriving at Toronto Union Station we were told to unload quickly and crossed the platform to where another train was standing, with three wooden coaches on the rear. We were loaded onto the rear two cars. This was CPR train No. 25, a daily except Sunday run from Toronto to Sudbury, scheduled to depart at 9:20 a.m. and to arrive in Sudbury at 5:55 p.m. This train is shown in the June 25, 1944, schedule as having a through coach from Toronto to Camp Borden, which turned out to be the third wooden coach on the end, ahead of our two special cars.

No. 25 departed Toronto and we proceeded on the next leg of our journey. Two hours later, the train arrived at the Ypres wye at 11:20 a.m. The three cars on the end of the train were cut off on the main line between the two legs of the wye, and the remainder of the train continued on to Sudbury. At this point, an ancient D4g 4-6-0 which had been waiting on the south leg of the wye pulled out onto the main line and coupled up, nose first, to our three cars. We were then pulled back clear of the south-leg switch, the switch was lined up for the wye, and we were on our way for the last 4.5 miles of our journey. I can still recall hearing the mournful drawn-out whistle of the little 4-6-0 blowing for the grade crossings as it pushed the cars along. Fifteen minutes later we arrived at the south Camp Borden station by the R.C.A.F. barracks, presumably to let some passengers off the coach from Toronto, after which the train continued on for the last mile to the north station.

We finally pulled up in front of the CPR station where I

had my first glimpse of the famous Camp Borden I had heard and read so much about. There was a large paved area where we got off, roughly 100 feet wide, with the CPR tracks on the south side and the Canadian National tracks on the north side. The station facilities were completely different. The CNR station was a single-storey building with a small passenger waiting room and a baggage room. The Canadian Pacific station, however, was a large two-storey structure with ample passenger and baggage areas. I later found out the reason for this difference in size.

What I will call the Camp Borden "main line" ran along the east side of the camp, about a thousand feet or so from the station area. Both railways had a spur branching off the "main line" into their respective stations, the CNR coming in from the north and the CPR from the south (see map). As has already been mentioned, the CPR line connected with the rest of the system at Ypres, while the Canadian National ran north to Angus where it connected with the Meaford—Collingwood line



UCRS 50th ANNIVERSARY FEATURE

PASSENGER TRAINS AT CAMP BORDEN

BY JACK KNOWLES

Mention in the January 1991 Newsletter that CP Rail has received permission to abandon 3.21 miles of the Base Borden spur recalls the use made of that line in World War II. The spur branched off the MacTier Subdivision at Ypres and ran into the southeast part of the built-up portion of Camp Borden where there was a wye, with one line continuing west into the Royal Canadian Air Force lands at the south end of Borden, and the other line continuing north along the east edge of the army's built-up part of Borden to an end-on junction with the Canadian National Railways track coming in from Angus, the village located just outside the north edge of the military reserve.


Camp Borden, then with the population of a small city, consisted mostly of one-storey frame buildings: barrack huts, officers' quarters, mess halls, military schools, and administration buildings, with a few larger buildings for RCAF or Ordnance use. Like most military reservations, Borden is on a sandy area unsatisfactory for agriculture. The military units were advanced training centres. Their trainees usually received a weekend leave pass every second weekend. With gasoline rationing for private automobiles after the spring 1942 and interurban bus lines restricted by wartime law to selling tickets for 40 miles or less. there was a substantial Friday midday exodus by rail from the camp every weekend with return late Sunday night. The troops chose their own routings and were sold reduced rate tickets. CPR got the bulk of the business, having the more direct route to Toronto. CNR did operate one leave train, but it was used mostly by troops making CNR connections.

Canadian Pacific's Camp Borden station consisted of two wooden express cars on a short piece of isolated track, with the car undersides closed in with planking from sills to ground level and broad stairways leading up to some of the large side doors. (Photo in January 1942 Railroad Magazine, page 129.) It was about midway up the line on the east side of Borden, and the CNR station was a few hundred yards further north, so that the two railways' leave trains loaded back to back on the same track. To serve the south end of Borden, CP had an additional stop called Bog Road, which had a roomy shed for a waiting shelter. The southeast part of the military reserve contained a wooded bog, and the stop was named after a minor east-west road running through the area. The CP track through the bog was on a good roadbed which was paralleled a stone's throw away to the northeast by an abandoned old roadbed. Probably the original roadbed had an unsatisfactory foundation, perhaps corduroy (logs laid crosswise in the bog with much brush thrown on top to hold the ballast). Bill Hood recalls going for route marches on the abandoned roadbed.

CP leave trains usually consisted of heavyweight steel coaches hauled by a 4-6-2. Occasionally steel colonist cars were used. As there was no other food service on such trains, the news vendor did a good business in confections. To do Camp Borden freight switching, CP assigned a D4g class 4-6-0 which tied up at night at the wye, where there were a water tower and a small coal pile. To provide connections on weekdays with passenger trains 25 and 26 on the MacTier Subdivision, the 4-6-0 galloped out to Ypres with a wooden combine. Also, Essa

station on Highway 90 was a brief bus ride from Borden. (This was CP's nearest station to Barrie.)

The return leave movement late Sunday evening occurred at a time when the lower concourse of Toronto Union Station was jammed with all kinds of other departing passengers and their friends seeing them off. The resulting congestion of people was so great that barriers were installed at the top of the ramp from the main hall to the lower concourse and only persons holding a valid ticket were allowed to pass. Thus family and friends had to bid farewell to their travellers in the main hall. The return leave trains usually departed right on the advertised but then stood for perhaps an hour out in the yard before passing the bottleneck under the Bathurst Street bridge. I recall making Sunday evening trips behind 4-6-2 No. 2400. After the stop at West Toronto station the servicemen settled down for some sleep until after wheels clattering over the CNR diamond at Alliston announced that Borden was not far away. Soon the troops detrained in their great numbers and dispersed through the dark camp, handing in their leave passes at their unit guard houses and reaching their barracks about 0300 hours for some additional sleep before reveille.



Troops who had completed their training were housed in barracks in the east-central part of the camp. When they departed in large drafts for east coast transit camps or on other overnight trips, the trains of either railway were composed of steel colonist cars without bedding or attendants. The cars were rather plain sleepers with self-service cooking facilities in one

to Allandale (Barrie). These stations had not been built when Jack Knowles was at Borden. Another UCRS member, Dick Vincent, was at Borden in the fall of 1943, and he states that work was just being started on the buildings when he left, so that when I arrived there in the middle of July 1944 the stations were still quite new.

Now for the difference in the size of the stations. As Jack remarked in his article, every second Friday noon there was a mass exodus from the camp as most servicemen were granted a weekend pass good until Sunday night. As most men wanted the most direct way to Toronto, they chose the CPR, so there was always a 12 or 14 car train of steel coaches waiting at the station. This train usually had a Hudson on the head end, either a standard or a Royal Hudson. The station staff were kept busy selling military tickets prior to train time. The CNR train on the other side at its station, however, consisted of three or four wooden cars pulled by a light Pacific. This train was used mostly by servicemen wanting connections to other CNR trains. The only times I ever saw a large train on the National side was when a draft of troops was being shipped out to the east coast, at which time there would be anywhere from 10 to 15 steel colonist cars lined up, as mentioned in Jack's story.

Sunday evening, at the conclusion of the weekend pass, the return train was scheduled to depart Toronto Union at 11:30 p.m. However, in contrast to the steel cars leaving Borden on Friday, the return train was usually made up of wooden coaches with gas lighting. This was all well and good, since the dim lighting let the troops have a bit of sleep on the way back to the barracks. Depending on how quickly the train was able to clear the Toronto yards, we usually arrived back in Borden around 2:00 a.m. On the return trip the train did not back into Borden, but proceeded directly in, engine first, to save time, after which it would back out the 4.5 miles to Ypres.

I had an opportunity to use the through coach to Toronto on two occasions. In September of 1944 I was transferred to Kingston for a specialised course. We boarded the coach at the north station at 1:15 p.m. with the D4g at the head end and proceeded to the north leg of the wye at Ypres to await the arrival of southbound No. 26 from Sudbury. When the train came to a stop at 1:45, we were coupled on the rear and were soon on our way to Toronto. When we returned to Borden in November the trip was made in reverse, with the through car being picked up at the wye and pushed back to the camp.

I was soon to say goodbye to Camp Borden. Just after New Year's Day, 1945, a large draft, including myself, was assembled and we headed out to Camp Debert, Nova Scotia, on one of the colonist car-equipped Canadian National troop trains. This was the last I ever saw of Camp Borden in that familiar configuration.

In 1957 the through coach to Camp Borden (by then listed in the timetables as N.A.C. — Not Air Conditioned) was dropped from the schedule and replaced by a through RDC service, trains No. 309 northbound and No. 310 southbound. On Saturday, April 15, 1959, I decided to visit the camp again, and so travelled on car 9110 to Borden. The RDC just went as far as the south station, arriving there at 1:15 p.m., even though the north station was still listed. However, the north station was dropped from the listing effective with the April 24, 1960, timetable. October 29, 1961, saw the service into Borden eliminated from the schedule altogether, and subsequent timetables simply showed Alliston with "Camp Borden" in italicised letters beside.

I have not been to Camp Borden since that 1959 trip, so I do not know how the facilities changed after that. Perhaps some other member could add a follow-up.

end. These cars had been disused for their original purpose since the beginning of the 1930s depression, and I recall seeing some CN ones with a few broken windows and very shabby paint, stored an a siding up on the north edge of the old high line embankment just west of Spadina Avenue in Toronto. One 1930s depression era use was for hauling the unemployed young men from eastern cities who travelled to the prairie each year at harvest time to manually bring in the grain crops. Also, a few cars were equipped with window bars for handling transfers of penitentiary inmates.

When troops on draft marched to a train burdened with all their kit on their backs ("full marching order"), they were preceded by a military band, not an everyday occurrence. Having no railway bedding and only one issue field blanket, the soldiers on draft trains at night used their greatcoats in place of blankets. Harold Hartley has provided us with a description of a troop movement by rail in his "Reminiscences of a Military Railway Man," January 1989 Newsletter. I have made further brief comments on troop trains in a letter in the October 1989 issue of Railfan and Railroad magazine.

In fairness, it should be reported that conditions were improved when the troops came home after World War II in 1945. CN had refurbished the colonist cars inside with green fabric upholstery in place of leather or leatherette. This was the era when woodwork made dark by numerous coats of varnish was covered with light green paint. Bedding was by then being provided, and CN lettered the car exteriors "Armed Forces Sleeper." This lettering was later removed as colonist cars saw a further period of use hauling British and other war brides from east coast ports. Colonists cars had on occasion substituted for day coaches in general public service during the busiest wartime periods and for awhile after the end of the war. (In the 1950s some of these cars were made into combines to replace the

Canadian National Railways did not need to keep a locomotive at Camp Borden, as the large Allandale roundhouse was only a few miles away in what is now south Barrie. As previously mentioned, CN's access to Borden was from Angus, on the Allandale-Collingwood-Meaford branch. CN's Camp Borden station consisted of wooden baggage cars 8398 and 8369 set on an isolated short piece of track west of the main track. Living accommodation for the station staff was wooden colonist car 2674 nearby on a separate isolated piece of track east of the main track.

wooden cars still running on branch-line mixed trains).

CNR avoided running weekday passenger shuttle trains by issuing transportation coupons good on Travers Coach Lines (the Barrie Camp Borden civilian operator) to passengers holding CNR tickets with Camp Borden or Angus destination. When I arrived in Camp Borden, TCL was operating six well worn buses numbered 3300, 5100, 5300, 6000, 6300, 6406. It transpired that Harry Travers had been a CNR fireman, and had numbered his buses after some of his favourite CNR (and GTW) steam locomotive classes.

Lisle station on CN's Beeton-Collingwood branch was close to the west road entrance into the Camp Borden lands, but the mixed train on that minor branch played no real part in serving the camp, as Lisle was quite remote from the built-up part of Borden.


CNR occasionally operated on a Sunday the "Sweethearts' Special," a passenger round trip from Toronto to give wives, girl friends and other family the opportunity to visit Camp Borden and view its facilities. One such train which I saw was double-headed by 4-6-2s 5303 and 5591.

Later in the war, station facilities of both railways were completely changed, with the line up the east side of the Camp being relocated eastward about 1,000 yards on an entirely new alignment through previously undeveloped land. Each railway had a station spur curving westwards through about 90 degrees from the new line, so that the two railways' leave trains now loaded side by side facing east instead of back to back facing north and south. Both railways then had proper station buildings.

CP Rail's rusty Base Borden spur of recent years, blocked with long strings of stored boxcars, gave little hint of its busy past.



With its picturesque tower and delicate iron cresting, the GTR Station was a model railway station in its day. The station, photographed circa 1931, was extensively damaged by a fire in 1932.



After the fire, a scaled-down version of the original design was reconstructed. The building now houses the Collingwood Museum.

ST. PAUL STREET EAST

When the first train pulled into Collingwood in the fall of 1854, it brought with it a new era. Almost overnight, the tiny settlement known as "Hen and Chickens Harbour" was transformed from a formidable habitat for snakes and mosquitoes into a bustling boomtown, overrun with eager speculators willing to pay \$1,000 an acre for property on the site of the northern terminus of the first significant railway in Canada.

The opening of the terminus, linking Toronto to Lake Huron and markets in Chicago and Northwestern Ontario, represented an event of national economic importance and the sight of the great "iron monster" both excited and terrified the throngs of people who gathered to witness history in the making. In his 1894 report for the Collingwood Board of Trade, Fred T. Hodgson recalled:

"...there was much rejoicing and merrymaking over the event and a number of people from the country around, who had never before beheld a locomotive, were stricken with awe at the sight of the great big black monster that came puffing and snorting like the fabled fiery dragon into the depot."

The depot itself was constructed in 1855 not long after the official opening (January 1, 1855) of the Ontario, Simcoe and Huron Railroad. Dubbed the "Oats, Straw and Hay" railway, the industrial lifeline was renamed The Northern Railway in 1858 and by 1888 was absorbed by The Grand Trunk Railway of Canada.

Adorned with huge arcades and flanked by a two-and-a-half-storey wooden hotel known as "The Armstrong House," the first station is thought to have been designed by Frederick W. Cumberland, manager of the railway and a noted Toronto architect. The wooden building was destroyed by fire around 1864.

The first brick station, an Italianate design complete with round-headed windows, decorative bracketing and a picturesque square tower, replaced the frame structure *circa* 1874. The one-and-a-half-storey building featured an expansive hip roof over the central part of the station, while one-storey wings with wide overhanging hip roofs provided shelter for baggage. Reporting on a disastrous fire at the station March 17, 1932, *The Collingwood Bulletin* contained the following description of the GTR depot:

"It was of attractive architectural design and was one of the finest station buildings on the Allendale division....The contract for the building was given to a man named Law who did the brick and wood work, while the plastering was done by Joseph Wynes and a partner named Lavelle and the painting by William Wensley."

Although the *Bulletin* added that the building had "always been well-maintained" and "always had a very pleasing appearance" some four decades earlier, the editor of the *Enterprise and Collingwood Messenger* (August 23, 1894) had expressed a different opinion:

"The ladies' waiting room in the G.T.R. station is not generally used now-a-days, owing to poor sanitary arrangements—the air in the room being so foul as to be unbearable....As it was last winter, it was the most unpleasant place to wait even five minutes, let alone an hour or so which had to be done on a few occasions."

For a brief period, Collingwood boasted two railway stations. In 1878, a second station was constructed at the corner of Second and Walnut Streets to service a competing line from Hamilton. Less than a year later, however, the Hamilton and Northwestern Line, was amalgamated with the Northern Railway and the little-used Walnut Street station was dismantled. Writing in The Jubilee History of Collingwood, published in 1887, newspaper editor John Hogg commented frankly: "The Collingwood branch of the Hamilton and Northwestern bears the reputation of being the most poorly equipped and miserably managed railroad in the country." Both lines were eventually absorbed by the Grand Trunk Railway of Canada which, in turn, became part of the Canadian National Railway system. The 1932-fire at the St. Paul Street station resulted in over \$20,000 in damages. The depot was later rebuilt, but without its wings and distinctive tower.

As the automobile became the preferred method of transportation, the once-revered railroad began to play a less significant role as a link to the Great Lakes. In 1960, the CNR discontinued passenger service on the Toronto to Meaford run. Five years later, the Town of Collingwood was able to purchase the former station for use as a museum.

The 114-year-old brick building has since undergone several cosmetic makeovers as well as a major expansion program. Today, it continues to function as a dynamic cultural institution dedicated to the preservation of Collingwood's heritage.

Note:-Clarksburg P.	30+ 5.55+12	10 10 5 10 12 29 43	1 4 40 /12	1 9 55 / 4 30 /12 11 37	32	3.40 4.10 11.55	3 35 11 45		2 50 11 02 1	1/10.	2.38 10.51	/10.4	2 28 10 40	8 25 1 2 15 110 30	+ 7 50 + 1 55 + 10 10 1.	PMPM		63 395 61 Miles	Read Down	BARRIE, ALLANDALE,
O. about one mile from Thornbury	Menford Her b	.8 Thornbury Note: 5 42	0 Fields' / 5.45	0 Craigleith / 5 50	1 Lake Jct 6 US	L) 0. (A 6 15	A Collingw'd L 0 25	Batteaux 6 33	2 New Lowell	-	3 Angus.	9 Utopia / / 1.1.	5 Colwell Jct 7.25	O.L. Allandale CA.A 1 7.35	3 Barrio 0 1 7.4.	Lve Arr AM	Eastern Time	TABLE No. 44 60		COLLINGWOOD &
abury.	0 4 00 T 3. II	10 00 3 2		/10 20 / 3.4		10.40 4.0	11 3 4.1		11 90 4 50		2 20 00	U	12 13 5 10	112 25 1 5 26	12 30 · 5 38	7 7 7 2	1	396 62	Read Up	MEAFORD

construction. The MUC bowed to the inevitable on Jan. 10. Montreal Nord Mayor Yves Ryan, Vice-Chairman of the MUC Transit Committee, which initially opposed steel-on-steel for Line 7, said after the meeting that, subsequent to a tour of the Paris Metro and Munich's and Vienna's U-Bahnen, he was convinced that their steel-on-steel systems were quieter than MUC's rubber-tired variation. Apparently Bombardier Inc. will now have an opportunity to show off its modern, heavy rail transit technology, including appropriate snow removal equipment.

-- John Welsh, Omer Lavallee





Canadian Transport Commission

Railway Transport Committee



Collingwood - Meaford abandonment decision

ORA GIVEN SIX MONTHS TO CONCLUDE NEGOTI

The Railway Transport Committee of the Canadian Transport Commission has issued Order No. R-37433, dated Nov. 20, 1984, permitting CN to abandon, not earlier than six months from that date, the 17.59 miles of the Meaford Sub. west of Collingwood (see "CN Meaford Abandonment Submission", NEWSLETTER 407, page 14). The decision indicates that it had been the original intention of the hearing panel to issue its decision within two or three months of the date of the hearing, which occurred in Collingwood on Oct. 13, 1983. However, in deference to ongoing negotiations between Ontario Rail Association (Ontario Rail Foundation) and CN relative to the former's acquisition for operation as the Georgian Bay Railway, a steam tourist operation, the decision was delayed. The second last paragraph of the decision, however, concludes as follows "...we have been advised that negotiations between these parties have reached an impasse, and accordingly we are of the opinion that we must proceed with our decision".

The text of the decision earlier cautions that the abandonment hearing did not have within it terms of reference an examination into the merits of the proposed Georgian Bay Ry. operation, and was confined to consideration of the CN application. The delayed action of the panel never theless appears to be speak some tacit sympathy for ORA's efforts, and this is heightened by a condition of the abandonment approval which provides that "the applicant (CN) shall advise the Committee in writing of any agreements entered into with the Georgian Bay Ry. Co. for the sall exchange, assignment, transfer, lease or otherwise of that portion of the Meaford Subdivisions should such agreement occur subsequent to the date of this Order and prior to the date specified for abandonment."

The situation now facing ORA was summarized in an article appearing in the Collingwood Enterprise-Bulletin shortly after the abandonment order was made public, from which the following extracts are taken: "The next six months will be 'do or die' for the steam train attraction proposed for the CN line between Collingwood and Meaford. Following a decision by the CTC law week to allow CN to abandon the line, the steam train enthusiasts who want to take over the otracks have six months to complete negotiations with CN and with the Provincial Board of Industrial Leadership and Development (BILD). Marv Mooney, President of the Ontario Rail Foundation, said that he anticipates "all the answers within the next 90 to 120 days...it allows us to enter into final negotiations with CN as to the ways and means of taking over the line"...Mr. Mooney is looking for Provincial funding towards the \$1.85 million cost of the project...The CTC decision notes the scheme has the support of the Ontario Ministry of Touriand Recreation...The decision will however be held in abeyance if a moratorium on branch line closures imposed by the previous Federal administration is not lifted, according to Tom Van Dusen, a spokesman from Transport Minister Don Mazankowski's office. The moratorium was imposed to allow Ministry officials time to explore possible alternative uses for lines which the railway companies do not want to use."

With regard to the abandonment application itself, the RTC concluded that the evidence was overwhelming that the continued operation of the line for freight service was uneconomic and that the nature of the economy of the area was not such as to indicate any future possibility of increased demand for such service. It recorded CN's submission that no trains have operate west of Thornbury since November, 1982 and that the maximum permissible train speed on the entire line had been reduced from 25 mph to 20 mph because of deteriorating track condition Several persons and agencies, such as the Huronia Tourist Association and the Collingwood Chamber of Commerce, opposed the abandonment, some of them because of the prejudicial effect on ORA's plans that would flow from a permissive decision. One interesting submission was made by a private citizen on his own behalf, Mr. D.G. Wilton, who contended that the Canadian National Railway Co. was constituted as an agency to serve the transportation needs of Canadians, and that only a vote of the majority of Parliament would give CN the right to abandon any rail lines. He was of the opinion that, since there has never been a Parliament vote to change the terms and conditions of the creation of Canadian National, it had no rig. to apply to abandon the line. Certain of the municipalities argued that the right-of-way should remain, if abandonment was permitted, as a recreational trail. The GO NORTH Committed pointed out that the Collingwood-Thornbury portion of the line had been upgraded as recently June, 1983 to accommodate the movement of two transformers from Pickering to Thornbury, and urged that abandonment be held off until studies with respect to winter ski trains and summe recreational trains (from Toronto presumably) had been completed. While abandonment is being

```
Flesherton
       52
                     CD
       25
                     CD
                                  Owen Sound
       25
                     CM
                                 COLLIngwood
                                                         86.64
                                                                                      Thornbury
                     CN
       13
           . uls
       On Line
   Miles From
                                                                             No Alternative Shipping Points: On Line Station
                    Ry .
                            Alternate Stn.
          ROAd
                                                    On Line Mileage
                                                  Buildings: Freight shed -- frame, Location: Mi. 52.19, Condition: Poor.
                                                                                                          SIEus
                                                                                      6Þ
                                                                                               Reflectorized
                                                                                                        & bells
                                                                                             Flashing lights
           8P-7291
                                                                                      2
                                                                                                                       Crossings, Public:
                                                                                  Иштрет
                                                                                                   Protection:
                                                 02.13
08.13
                                                                          15.
       44
             11
                                                                          341
                                     ..
                                                               11
                                                                                     11
                                                  00.13
                                                                          148
      1890 ii
                                                                                                            11
                                                                                                                    ..
                                                                                                                            11
                                                                                     11
                                                  07.03
                                                                          25,
      " 1924
                                                                                     ..
                                     11
                                                               41
                 11
                                                                                                                                  Trestles:
                                                  OT. PE
                                                                          ..98
                                                                                                        Type: Pile Trestle
      068I "
                                                                                                     Deck plate girder span
      .. I92₫
                                                  08.44
                                                                          120
                                                                                                   & deck plate girder span
      868I "
                                                  44.20
                                                                          1862
                                                                                                              Deck truss span
                                                                                                              Bridges: Type--Beam Span.
                                                                          Length: 60'
                                                  Mileage: 42.60
Condition: Good Year Built: 1890
                                                                                                                Concrete box:
                                                             41
                                                        11
                                                                                                          Corrugated metal pipe: 104
                                                                            ..
                                                                                      ..
                                                                     11
                                                                                                                    Gast iron
                                                                                                         Concrete Pipe: 60.
                                                     Culverts: Wood box-one. Condition--Good-fair. Year built: 1913-40.
                                                    Ballast (pit run): Length--18.67 mi. Condition: Poor. Age: Various.
                                           Track Ties (treated): No.: 53,777. Condition: Poor. Average Age: 30 years.
                                                                                               .3091 nt .df 08 ,2191 nt bisi .df 38
                 Rail: Main Line & Spure: 2.89 mi. of 85 lb.; 15.78 mi. of 80 lb. Type: ASCE. Condition: Fair.
                                                                                                                                   . im 78.81
              1. Physical Statistics--Miles of track: Main Line--17.59 ml. Spurs and Sidings--1.08 ml. Total-
                                                                                                                                   Appendix
                                                                                          between Collingwood and Meaford, --Ed.).
           which the Ontario Rail Association has had for several years to conduct a steam tourist operation
           (Not a word is said about the possibility of Provincial acquisition of the line, nor of the plans
         incurred on this line. Therefore, in view of the losses being sustained, and in accordance with the terms of the Railway Act, CN Rail has no alternative but to apply for the discontinuance of the Weaford Sub. between Mile 34.60 and 52.19.
         1980 and 1981, revenues from originating and terminating traffic on the line failed to meet the costs incurred; consequently, CN Rail has suffered continuing actual losses. There is presently no economically feasible method of rail operation nor any other opportunity for eliminating the losses economically feasible method of rail operation nor any other opportunity for eliminating the losses
         proposed for abandonment has been minimal in recent years. Clearly, it has been shown that in 1979,
              Summary: Carload traffic handled to and from the two stations on the portion of the Meaford Sub
     will continue to be operated by CN. It is therefore considered by CN that CP could not provide service over CN's tracks between Collingwood and Meaford in a way that would be economically feasible.
            abandonment and any other railway line. OP Rail's Mactier Subdivision crosses the Meaford Sub. at grade, at Mile 7.45 (Mile 58.09 Mactier Sub.), which is on the portion of the Meaford Sub. which
          is the Owen Sound Subdivision, approximately 17 miles distant, which is too far away to provide an economic interconnection. There is no direct connection between the trackage proposed for
                the minimum level consistent with traffic available and no further economies could be realized by changing the method of operation. The only other line of the Company in the immediate area
           and a minor increase in trucking activity. Train operations between Collingwood and Meaford are at
            to be handled by rail. This will result in a small increase in carloads to the alternate stations
           of the rail traffic now handled to and from that portion of the Meaford Subdivision would continue
            It is expected that, with the abandonment of the line between Mile 34.60 and Mile 52.19, the bulk
                                                       expense to one of the alternative stations listed in the appendix.
            active customers who would be required to transport any future rail traffic by truck at their own
             conditions. With abandonment of the line no unusual heavy expenses would be imposed on remaining
       line ranged from a low of 43 carloads in 1977 to a high of 120 carloads in 1980. The increase in 1980 mas due to an outbound movement of 82 carloads of hay to Western Canada because of severe drought
```

With abandonment of the rail line it is anticipated that some local on-line traific would be lost to private or commercial truckers. During the five year period 1977 to 1981 rail traific handled on the

Meaford

-- forwarded by Peter F. Oehm

CM

CD

CM

25 21

LI

LI

Flesherton

Owen Sound

61,23

Collingwood

spandonment.

abandonment submission brofbaM L



entitled "Report on the Proposed Abandonment of a Portion of the Meaford Subdivision". The following is a condensation of the Canadian National Railways submission to the CTC


SISEQ line is presently provided by a wayfreight from Barrie operating on an "if and when required" proposed for abandonment are Thornbury, Mile 43.98, and Meaford, Mile 52.19. (Note: the station buildings at these locations were removed a number of years ago). Freight carload service on the Subdivisions are made via yard tracks. The stations located on the section of the subdivision Westerly direction to Meaford, Ont. At Barrie, connections to the Newmarket and Beeton The Meaford Subdivision begins at Barrie, Ont., Mile 0.00, and extends 52.19 miles in a north-

became part of the CMR on 30 January 1923. the latter name as authorized by Statute Canada 8 April 1875. Effective 24 February 1888 The Northern Railway Company of Canada. The latter railway and The Northern Railway Company of Canada were subsequently amalgamated into one company un railway was amalgamated with The Toronto, Simcoe and Muskoka Junction Railway Company into one company under the name Northern Extension Railways Company under agreement dated 27 December 1871. by The North Grey Railway Company, incorporated on 15 February 1871 to construct a railway from Collingwood to Meaford. The line was completed and opened for traffic on 31 December 1872. This The portion of the line proposed for abandonment was part of a rail line originally built

highway carriers licensed to serve the area through which the line passes. Maximum train speed is 25 MPH. It is paralleled by Provincial Highway No. 26 which is a paved, all weather road providing access to major commercial and industrial centres. There are five "for bighway no. 26 which is a paved, all highway access to major commercial and industrial centres. There are five "for bighway correct to a second to be a second per yd. Cars exceeding 220,000 lbs. gross weight are required to be covered by handling instructions The Meaford Subdivision is in poor to fair condition containing rail mainly with a weight of 80 lbs.

Collingwood, a distance of 13 miles, and the closest open station to Meaford is Owen Sound, a distance of 17 miles. distance in road miles to alternative rail stations. The nearest alternative station to Thornbury is Alternative rail services are shown in an appendix for the two stations on the line, giving the

The mouth of the Beaver River, is in the centre of an important apple growing area. Mealo is the mouth of the Beaver River, is in the centre of an important apple growing area. Mealo located on Nottawasaga Bay at the mouth of the Big Head River. Meaford has harbour facili. The context of the shallow depth of the water, which does not exceed 10 to 11 feet, this harbour facility not suitable to accommodate commercial lake vessels which require water depths which range up to feet. There are no known rail-oriented industrial developments underway or planned in the feet. There are no known rail-oriented industrial developments underway or planned in the feet. There are no known rail-oriented industrial developments underway or planned in the planned or proposed for the future the future of Rail on the portion of the Meaford Subdivision proposed planned. the Province of Ontario as a four season tourist and recreation area. A considerable number of by a successful tourist attractions complement the area. Thornbury, which is located on Nottawards by the mouth of the Beaver Biver is in the Beaver Biver is in the mouth of the Beaver Biver is in the Biver is in the Beaver Biver is in the Biver is in the Beaver Biver is in the Beaver Biver is in the The Meaford Subdivision extends through exceptionally scenic countryside which has been designated by



Adventures of the RUSTY RAILFANS: No. 1

All right, you hard nosed diesel fans with your motor drives and scanners, the Rusty Railfans put it to you that there are other pursuits to pursue in the railroad hobby. One of these, a whole field of endeavour in itself, is the semi-archaelogical examination of dying, dead, and buried branch lines, such as the CN Meaford Sub. Last Sept. 27 three intrepid rust seekers set out from Toronto for Meaford, Ont. to examine the state of the far end of the Meaford Sub., the abandonment order for which was granted by the CTC on Dec. 31, 1985.

It should be explained that the line described a large half circle in diverting from its essentially north-westerly course from Collingwood to descend a long grade, crossing several town streets, to meet the waterfront heading easterly along the south shore of Nottawasaga Bay (the southerly extremity of the much larger Georgian Bay). Parking near the site of the former Meaford Station, our threesome tramped easterly into the still intact three-track yard, the ground somewhat muddy from recent rains. The freight house with its wooden loading platform still lies on the south side of the tracks. Further east, where the three tracks have been reduced to two, a former switch location on the northerly track (marked by a single remaining switch tie) represents the point where a former track led off to the small engine terminal of steam days. The overgrown turntable pit was found, located amidst a fair stand of trees and underbrush, this facility having been very close to the water's edge, so close that riprap was placed along the shore in this area. Evidence of two ash pits could also be seen in the undergrowth, one on each side of the turntable pit. The former water tower site may be seen adjacent, to the location of a second former siding, to the south of that which constituted the engine terminal. This second siding crossed a creek on a small timber bridge to carry on for what is now an indeterminate distance. The "main stem" of the yard served two industries at its far end, one of which was the former Bentwood Chair Co.

Returning westerly, the railfans noted a series of seven concrete chutes located under and adjacent to the southernmost of the tracks in the three-track yard. An old and decrepit shed lies adjacent to these chutes (does any reader know what this installation was for?). Some 1891-rolled rail was noted on this most southerly track. At the road crossing closest to the station site, there was a sign posted proclaiming "Memorial Park 3 km". Although there is an abundance of space here in which this sign could have been located, some humourist decided to plant it directly between the rails just west of the west yard switch. The adjacent intersection of Bridge and Denmark Streets, which the main line had crossed on a diagonal alignment, showed evidence of having been completely repaved in 1986, with the track across it completely removed.

The three R.R.'s then decided to hike up the grade to the south edge of town. Some local street crossings had the rails intact across them; others had the flangeways filled with asphalt, and at least one had the rails removed (obviously by town forces, as the steel had been simply dumped in a trackside ditch). One item that was noticed was how several adjacent property owners have already in essence laid claim to the railway right-of-way, as neatly manicured extensions to residential back yards have been carried out right to the tie ends. The dates on tie nails throughout this section indicated many replacements in 1946, as well as some fairly extensive maintenance in the early 1970s. At the point where the builtup area of the town ends stands the plant of Knight Industries with its siding still intact. The railfans could not help remarking upon how the line would have made a nice tourist rail ride on this section, even if the grade may have meant certain operating problems. Two short trestle bridges remained intact.

The hikers left the right-of-way where the line comes adjacent to the Highway (26) into town (adjacent to the garage/depot of Breadner Transport, which presumably has fallen heir to the traffic which CN gave up on). They then followed the road back downtown to search out a restaraunt to satiate honestly earned appetites. Later on, on their way back home, the railfans stopped to view the still intact CN Craigleith Station (now a restaurant, and located some distance back from the line). They also noticed a bench on the main street of the town of Thornbury which had been fabricated from a railway crossbuck sign (with the lettering preserved) doubtless salvaged from a Meaford Sub. location.

The Rusty Railfans saw nary a flanged wheel turn all that day, but they agreed that they had put in a full and rewarding day of railfanning (or railway research, if you insist on being formal about it), the results of which have been presented in this article and in the accompanying map.

NORTHERN RAILWAY OF CANADA.

SPECIAL GENERAL MEETING.

A special general meeting of the shareholders of the Northern Railway was held
yesterday afternoon at the company's offices,
Brock street, for the purpose of considering
and authorizing the execution of a lease of
the North Grey Railway. The following
gentlemen were present:—Hon. J. B. Robinson, president, in the chair; Mr. F. W. Cumberland, M. P. P., general manager; Mr.
Thomas Hamilton, secretary; and Mr.
Gamble, Mr. Ardagh, M. P. P., Barrie, Mr.
W. D. Elliot, Mr. Angus Morrison, M. P.,
and others,

Mr. Compensand submitted the proposed lease, and stated that it was the same in every particular as that entered into with the Toronto & Muskoka Railway Company, except that the Northern receives five percent, more for working expenses from the North Grey than from the Muskoka Company. The reason of this was that the North Grey had only one frontage, the lake being on one side of the line.

Hon. J. B. Robinson moved, seconded by Mr. Ardach, that proposed lease between the Northern Railway Company and the North Grey Railway Company, now submitted by the directors of the former company, be approved of, and its execution authorized as soon as the concurrence of the London Board shall have been obtained.

The motion was carried, and the meeting adjourned.

TORONTO GIOBE JUNE 1 1871